



Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 14/01/2020 Date of issue: 03/04/2014

Version: 4.0

SECTION 1: Identification of the Substance/mixture and of the Company/Undertaking

Product Identifier 1.1.

Product form Mixture Product Name CV-1152

Synonyms Silicone Coating

1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

1.2.1. Relevant Identified Uses

Use of the Substance/Mixture For professional use only.

1.2.2. Uses Advised Against

No additional information available

Details of the Supplier of the Safety Data Sheet

NuSil Technology Europe 1198 Avenue Maurice Donat Le Natura Bt. 2 06250 Mougins

France

+33 4 92 96 93 31 ehs@nusil.com www.nusil.com

Emergency Telephone Number

: 800-424-9300 CHEMTREC (in US); +1 703-527-3887 CHEMTREC **Emergency Number**

(International and Maritime)

+(44)-870-8200418 +(353)-19014670

SECTION 2: Hazards Identification

Classification of the Substance or Mixture 2.1.

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Eve Irrit. 2 H319 Skin Sens. 1 H317

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)

GHS07

Signal Word (CLP) Warning

Hazardous Ingredients 2-Butanone, O,O',O"-(methylsilylidyne)trioxime; N-[3-

(TrimethoxysilyI)propyI]-1,2-ethanediamine; DibutyItin dilaurate

H317 - May cause an allergic skin reaction. Hazard Statements (CLP)

H319 - Causes serious eye irritation.

Precautionary Statements (CLP) P261 - Avoid breathing vapours, mist, or spray

P264 - Wash hands, forearms, and exposed areas thoroughly

14/01/2020 EN (English) 1/11

after handling

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear eye protection, protective clothing, protective gloves

P302+P352 - IF ON SKIN: Wash with plenty of water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see Section 4 on this SDS) P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
2-Butanone, O,O',O"- (methylsilylidyne)trioxime	(CAS-No.) 22984-54-9 (EC-No.) 245-366-4	< 10	Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373
N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6	< 1	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317
Dibutyltin dilaurate	(CAS-No.) 77-58-7 (EC-No.) 201-039-8 (EC Index-No.) 050- 030-00-3	< 0,3	Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First Aid Measures

4.1. **Description of First-aid Measures**

First-Aid Measures General Never give anything by mouth to an unconscious person. If you

feel unwell, seek medical advice (show the label where

possible).

First-Aid Measures After When symptoms occur: go into open air and ventilate

Inhalation

suspected area. Obtain medical attention if breathing difficulty

persists.

First-Aid Measures After Skin

Contact

Remove contaminated clothing. Drench affected area with

water for at least 15 minutes. Obtain medical attention if

irritation develops or persists.

First-Aid Measures After Eye

Contact

Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Obtain medical attention.

First-Aid Measures After Rinse mouth. Do NOT induce vomiting. Obtain medical

Inaestion attention.

Most Important Symptoms and Effects Both Acute and Delayed 4.2.

Symptoms/Effects Causes serious eye irritation. Skin sensitisation. Symptoms/Effects After Prolonged exposure may cause irritation.

Inhalation

Symptoms/Effects After Skin

Contact

Symptoms/Effects After Eye

Contact

Contact causes severe irritation with redness and swelling of the

Symptoms/Effects After

Chronic Symptoms

Ingestion

coniunctiva. Ingestion may cause adverse effects.

May cause an allergic skin reaction.

None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting Measures

5.1. **Extinguishing Media**

Suitable Extinguishing Media Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media Do not use a heavy water stream. Use of heavy stream of water

may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard Not considered flammable but may burn at high temperatures.

Explosion Hazard Product is not explosive.

Hazardous reactions will not occur under normal conditions. Reactivity

5.3. **Advice for Firefighters**

Precautionary Measures Fire Exercise caution when fighting any chemical fire.

Firefighting Instructions Use water spray or fog for cooling exposed containers. Protection During Firefighting Do not enter fire area without proper protective equipment,

including respiratory protection.

14/01/2020 3/11

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures Do not get in eyes, on skin, or on clothing. Do not breathe

vapour, mist or spray. Avoid all contact with skin, eyes, or

clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment Use appropriate personal protective equipment (PPE).

Emergency Procedures Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment Equip cleanup crew with proper protection.

Emergency Procedures Upon arrival at the scene, a first responder is expected to

recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment Contain any spills with dikes or absorbents to prevent migration

and entry into sewers or streams.

Methods For Cleaning Up Clean up spills immediately and dispose of waste safely.

Transfer spilled material to a suitable container for disposal.

Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling And Storage

7.1. Precautions for Safe Handling

Precautions for Safe Handling Wash hands and other exposed areas with mild soap and

water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapours, mist, spray. Avoid contact with skin, eyes and

clothing.

Hygiene Measures Handle in accordance with good industrial hygiene and safety

procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures Comply with applicable regulations.

Storage Conditions Keep container closed when not in use. Store in a dry, cool

place. Keep/Store away from direct sunlight, extremely high or

low temperatures and incompatible materials.

Incompatible Materials Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(S) For professional use only

For professional use only.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control Parameters

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tin organic compound	ds		
Austria	MAK (mg/m³)	0,1 mg/m³ (except tri-n-Butyltin compounds-inhalable fraction)	
Austria	MAK Short time value (mg/m³)	0,2 mg/m³ (except Tri-n-butyltin compounds-inhalable fraction)	
Austria	OEL chemical category (AT)	Skin notation except Tri-n-butyItin compounds	
Belgium	Limit value (mg/m³)	0,1 mg/m³	
Belgium	Short time value (mg/m³)	0,2 mg/m³	
Belgium	OEL chemical category (BE)	Skin	
Bulgaria	OEL TWA (mg/m³)	0,1 mg/m³	
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	0,1 mg/m³ (except Cyhexatin)	
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	0,2 mg/m³ (except Cyhexatin)	
Czech Republic	Expoziční limity (PEL) (mg/m³)	0,1 mg/m³	
Czech Republic	OEL chemical category (CZ)	Potential for cutaneous absorption	
Denmark	Grænseværdie (langvarig) (mg/m³)	0,1 mg/m³ (except Tri-n-butyltin compounds)	
Estonia	OEL TWA (mg/m³)	0,1 mg/m³	
Estonia	OEL STEL (mg/m³)	0,2 mg/m³	
Estonia	OEL chemical category (ET)	Skin notation	
Finland	HTP-arvo (8h) (mg/m³)	0,1 mg/m³	
Finland	HTP-arvo (15 min)	0,3 mg/m³	
Finland	OEL chemical category (FI)	Potential for cutaneous absorption	
France	VLE (mg/m³)	0,2 mg/m³	
France	VME (mg/m³)	0,1 mg/m³	
Greece	OEL TWA (mg/m³)	0,1 mg/m³	
Greece	OEL STEL (mg/m³)	0,2 mg/m³	
Greece	OEL chemical category (GR)	skin - potential for cutaneous absorption	
Hungary	AK-érték	0,1 mg/m³	
Hungary	CK-érték	0,4 mg/m³	
Hungary	OEL chemical category (HU)	Potential for cutaneous absorption	
Ireland	OEL (8 hours ref) (mg/m³)	0,1 mg/m³	
Ireland	OEL (15 min ref) (mg/m3)	0,2 mg/m³	
Lithuania	IPRV (mg/m³)	0,1 mg/m³	
Lithuania	TPRV (mg/m³)	0,2 mg/m³	
Lithuania	OEL chemical category (LT)	Skin notation	
Norway	Grenseverdier (AN) (mg/m³)	0,1 mg/m³	
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	0,3 mg/m³ (value calculated)	
Norway	OEL chemical category (NO)	Skin notation	
Portugal	OEL TWA (mg/m³)	0,1 mg/m³	
Portugal	OEL STEL (mg/m³)	0,2 mg/m³	

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure	
Romania	OEL TWA (mg/m³)	0,05 mg/m³	
Romania	OEL STEL (mg/m³)	0,15 mg/m³	
Slovakia	NPHV (priemerná) (mg/m³)	0,1 mg/m³	
Slovakia	NPHV (Hraničná) (mg/m³)	0,2 mg/m³	
Slovakia	OEL chemical category (SK)	Potential for cutaneous absorption	
Spain	VLA-ED (mg/m³)	0,1 mg/m³	
Spain	VLA-EC (mg/m³)	0,2 mg/m³	
Spain	OEL chemical category (ES)	skin - potential for cutaneous absorption	
Sweden	nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³ (total dust)	
Sweden	kortidsvärde (KTV) (mg/m³)	0,2 mg/m³ (total dust)	
Sweden	OEL chemical category (SE)	Skin notation	
Switzerland	KZGW (mg/m³)	0,2 mg/m³ (inhalable dust)	
Switzerland	MAK (mg/m³)	0,1 mg/m³ (inhalable dust)	
Switzerland	OEL chemical category (CH)	Skin notation	
United Kingdom	WEL TWA (mg/m³)	0,1 mg/m³ (except Cyhexatin)	
United Kingdom	WEL STEL (mg/m³)	0,2 mg/m³ (except Cyhexatin)	
United Kingdom	WEL chemical category	Potential for cutaneous absorption except Cyhexatin	

8.2. Exposure Controls

Appropriate Engineering

Controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gloves. Protective clothing. Protective goggles. Insufficient

Personal Protective Equipment

ventilation: wear respiratory protection.









Materials for Protective Clothing Hand Protection

Eye Protection

Skin and Body Protection Respiratory Protection Chemically resistant materials and fabrics.

Wear protective gloves. Chemical safety goggles.

Wear suitable protective clothing.

If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information When using, do not eat, drink or smoke.

SECTION 9: Physical and Chemical Hazards

9.1. Information on Basic Physical and Chemical Properties

Physical State Liquid

CV-1152

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

cording to Regulation (EC) No. 1907/2006 (REACH) With its amendment Regulation	OH (EU) 2013/630
Colour	Colourless
Odour	No data available
Odour Threshold	No data available
рН	No data available
Evaporation Rate	No data available
Melting Point	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	> 135 °C (275 °F)
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Flammability (Solid, Gas)	Not applicable
Vapour Pressure	No data available
Relative Vapour Density At 20 °C	No data available
Relative Density	1,01 (water = 1)
Solubility	No data available
Partition Coefficient n-Octanol/Water	No data available
Viscosity, Kinematic	No data available
Viscosity, Dynamic	No data available
Explosive Properties	No data available
Oxidising Properties	No data available
Explosive Limits	No data available
0.2 Other Information	

9.2. Other Information

VOC content < 1 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility Of Hazardous Reactions

Hazardous polymerization will not occur.

10.4. Conditions To Avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products

None expected under normal conditions of use.

SECTION 11: Toxicological Information

11.1. Information On Toxicological Effects

Acute Toxicity

Not classified (Based on available data, the classification criteria are not met)

Dibutyltin dilaurate (77-58-7)	
LD50 Oral	175 mg/kg
LD50 Dermal Rat	> 2 g/kg

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

enameni kegolalion (E0) 2013/000			
N-[3-(TrimethoxysilyI)propyI]-1,2-ethanediamine (1760-24-3)			
2295 mg/kg			
> 2000 mg/kg			
> 1,49 mg/l/4h			
dyne)trioxime (22984-54-9)			
2463 mg/kg			
> 2000 mg/kg			
Not classified (Based on available data, the classification criteria are not met)			
Causes serious eye irritation.			
May cause an allergic skin reaction.			
Not classified (Based on available data, the classification criteria are not met)			
Not classified (Based on available data, the classification criteria are not met)			
Not classified (Based on available data, the classification criteria are not met)			
Not classified (Based on available data, the classification criteria are not met)			
epeated Not classified (Based on available data, the classification criteria are not met)			
Not classified (Based on available data, the classification criteria are not met)			

SECTION 12: Ecological Information

12.1. Toxicity

Ecology - General Not classified.

Dila de dila conserta (77 50 7)		
Dibutyltin dilaurate (77-58-7)		
EC50 Daphnia 1	0,463 mg/l (Daphnia magna)	
N-[3-(TrimethoxysilyI)propyI]-1,2-et	hanediamine (1760-24-3)	
LC50 Fish 1	597 mg/l (Species: Danio rerio)	
EC50 Daphnia 1	81 mg/l	
ErC50 (Algae)	8,8 mg/l (Exposure time: 72 h - Species: Pseudokirchneriella subcapitata)	
NOEC Chronic Fish	344 mg/l	
NOEC Chronic Crustacea	35 mg/l	
NOEC Chronic Algae	3,1 mg/l (Pseudokirchnerella subcapitata Exposure time: 96h)	
2-Butanone, O,O',O"-(methylsilylidyne)trioxime (22984-54-9)		
EC50 Daphnia 1	120 mg/l (Exposure time: 48h - Species: Daphnia magna)	

12.2. Persistence and Degradability

CV-1152	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

12.3. Dioaccombiante i olemia	I e e e e e e e e e e e e e e e e e e e
CV-1152	
Bioaccumulative potential	Not established.

CV-1152

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dibutyltin dilaurate (77-58-7)	
Log Pow	4,44

12.4. Mobility in Soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other Adverse Effects

Other Information Avoid release to the environment.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Product/Packaging Disposal Dispose of contents/container in accordance with local,

Recommendations regional, national, and international regulations.

Additional Information Container may remain hazardous when empty. Continue to

observe all precautions.

SECTION 14: Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

4.1. UN Number
lot regulated for transport
4.2. UN Proper Shipping Name
lot regulated for transport
4.3. Transport Hazard Class(Es)
lot regulated for transport
4.4. Packing Group
lot regulated for transport
4.5. Environmental Hazards
lot regulated for transport

14.6. Special Precautions For User

No additional information available

14.7. Transport in Bulk According to Annex II of MARPOL and The IBC Code

Not applicable

SECTION 15: Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National Regulations

No additional information available

14/01/2020 EN (English) 9/11

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

SECTION 16: Other Information

Indication of Changes

Section	Section Header	Change	Date Changed
1	Identification of the substance/mixture and of the	Modified	14/01/2020
	company/undertaking		
9	Physical and chemical properties	Modified	14/01/2020

Date of Preparation or Latest

14/01/2020

Revision

Data Sources

Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions,

official government regulatory body websites,

product/ingredient manufacturer or supplier specific

information, and/or resources that include substance specific data and classifications according to GHS or their subsequent

adoption of GHS.

Other Information

According to Regulation (EC) No. 1907/2006 (REACH) with its

amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute
	Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic
	Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity — Repeated exposure,
	Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure,
	Category 2
STOT SE 1	Specific target organ toxicity — Single exposure,
	Category 1
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists

ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR - European Agreement Concerning the International Carriage of Dangerous

Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration Factor

BEI - Biological Exposure Indices (BEI) BOD - Biochemical Oxygen Demand

CAS No. - Chemical Abstracts Service Number

CLP - Classification, Labeling and Packaging Regulation (EC) No 1272/2008

COD - Chemical Oxygen Demand

EC – European Community EC50 - Median Effective Concentration

EEC - European Economic Community

EINECS – European Inventory of Existing Commercial Chemical Substances EmS-No. (Fire) - IMDG Emergency Schedule Fire

EmS-No. (Spillage) - IMDG Emergency Schedule Spillage

EU - European Union

ErC50 - EC50 in Terms of Reduction Growth Rate

GHS – Globally Harmonized System of Classification and Labeling of Chemicals IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC Code - International Bulk Chemical Code IMDG - International Maritime Dangerous Goods

IPRV - Ilgalaikio Poveikio Ribinis Dydis

IOELV - Indicative Occupational Exposure Limit Value

LC50 - Median Lethal Concentration

LD50 - Median Lethal Dose

LOAEL - Lowest Observed Adverse Effect Level

LOEC - Lowest-Observed-Effect Concentration

Log Koc - Soil Organic Carbon-water Partitioning Coefficient

Log Kow - Octanol/water Partition Coefficient

Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol

MAK – Maximum Workplace Concentration/Maximum Permissible Concentration

MARPOL - International Convention for the Prevention of Pollution

NDS - Najwyzsze Dopuszczalne Stezenie

NDSCh - Najwyzsze Dopuszczalne Stezenie Chwilowe NDSP - Naiwyzsze Dopuszczalne Stezenie Pulapowe

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

NRD - Nevirsytinas Ribinis Dydis

NTP - National Toxicology Program OEL - Occupational Exposure Limits

PBT - Persistent, Bioaccumulative and Toxic

PEL - Permissible Exposure Limit

pH - Potential Hydrogen

REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals

RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail SADT - Self Accelerating Decomposition Temperature

SDS - Safety Data Sheet

STEL - Short Term Exposure Limit STOT - Specific Target Organ Toxicity

TA-Luft - Technische Anleitung zur Reinhaltung der Luft

TEL TRK - Technical Guidance Concentrations

ThOD - Theoretical Oxygen Demand

TLM - Median Tolerance Limit

TLV - Threshold Limit Value

TPRD - Trumpalaikio Poveikio Ribinis Dydis

TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in

ortsbeweglichen Behältern

TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte

TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

VOC – Volatile Organic Compounds VLA-EC - Valor Límite Ambiental Exposición de Corta Duración

VLA-ED - Valor Límite Ambiental Exposición Diaria

VLE - Valeur Limite D'exposition

VME - Valeur Limite De Movenne Exposition

vPvB - Very Persistent and Very Bioaccumulative

WEL - Workplace Exposure Limit WGK - Wassergefährdungsklasse

Nusil FU GHS SDS

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL TECHNOLOGY LLC AND ITS AFFILIATED COMPANIES ("NUSIL") EXPRESSLYDISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of NuSil's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, NUSIL DISCLAIMS LIABILITY FOR, AND BY USING NUSIL'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL NUSIL BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.

14/01/2020 11/11



Silicone Sales & Services UK - Ireland - Benelux

© 2022 - Polymer Systems Technology Limited™ Unit 2. Network 4. Cressex Business Park, Lincoln Road, High Wycombe, Bucks. HP12 3RF

tel: +44 (0) 1494 446610

web: https://www.silicone-polymers.com

email: sales@silicone-polymers.co.uk

